

## Certificate of conformity with the following European Directives

Registered No.:  
**44 799 25 406749 - 138**

### Low-Voltage Directive 2014/35/EU

Date of application	File reference	Test report No.	Date of issue	Place of issue
2025-02-06	PVP02001/25P	492012921.004	2025-05-21	Essen

This is to certify that the following products comply to the essential requirements of the above mentioned European Directive and the following standards, taking into account the German national deviations:

**Product:** Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

**Type designation:** See Annex 1

**Certificate holder:** **DAH Solar Co., Ltd.**  
No.1, Yaoyuan Road, Luyang District,  
Hefei City, Anhui, P.R. China

**Standard(s):** EN IEC 61730-1:2018; EN IEC 61730-1:2018/AC:2018-06  
EN IEC 61730-2:2018; EN IEC 61730-2:2018/AC:2018-06

This Certificate of conformity is based on the evaluation of samples of the product. It does not imply an assessment of the production and it does not permit the use of a mark of conformity or of a safety mark of the TÜV NORD CERT GmbH. The holder of this certificate may use this Certificate together with his EC-Declaration of Conformity, the CE marking may be affixed on the product if all relevant and effective Directives are complied with, under full responsibility of the holder.



Certification Body  
Specialist Manager Consumer Products

**TÜV NORD CERT GmbH**  
Am TÜV 1  
D-45307 Essen  
P.O.Box 10 32 61  
D-45032 Essen  
Fon: +49 (0)201 825-5120  
Fax: +49 (0)201 825-3209  
Email: [prodcert@tuev-nord.de](mailto:prodcert@tuev-nord.de)

**Description of product(s):**

Module types:

**Double Glass PV Modules with 182 x 91 / 91.875 mm TOPCon Bifacial Mono Solar Cells:**

156 cells: DHN-78X16/DG-xxxW (xxx = 605 - 645, in increment of 5)

156 cells: DHN-78X16/DG(BW)-xxxW (xxx = 605 - 645, in increment of 5)

156 cells: DHN-78X16/DG(BB)-xxxW (xxx = 605 - 645, in increment of 5)

156 cells: DHN-78X16/DG/FS-xxxW (xxx = 605 - 645, in increment of 5)

156 cells: DHN-78X16/DG/FS(BW)-xxxW (xxx = 605 - 645, in increment of 5)

156 cells: DHN-78X16/DG/FS(BB)-xxxW (xxx = 605 - 645, in increment of 5)

144 cells: DHN-72X16/DG-xxxW (xxx = 565 - 595, in increment of 5)

144 cells: DHN-72X16/DG(BW)-xxxW (xxx = 565 - 595, in increment of 5)

144 cells: DHN-72X16/DG(BB)-xxxW (xxx = 565 - 595, in increment of 5)

144 cells: DHN-72X16/DG/FS-xxxW (xxx = 565 - 595, in increment of 5)

144 cells: DHN-72X16/DG/FS(BW)-xxxW (xxx = 565 - 595, in increment of 5)

144 cells: DHN-72X16/DG/FS(BB)-xxxW (xxx = 565 - 595, in increment of 5)

132 cells: DHN-66X16/DG-xxxW (xxx = 520 - 545, in increment of 5)

132 cells: DHN-66X16/DG(BW)-xxxW (xxx = 520 - 545, in increment of 5)

132 cells: DHN-66X16/DG(BB)-xxxW (xxx = 520 - 545, in increment of 5)

132 cells: DHN-66X16/DG/FS-xxxW (xxx = 520 - 545, in increment of 5)

132 cells: DHN-66X16/DG/FS(BW)-xxxW (xxx = 520 - 545, in increment of 5)

132 cells: DHN-66X16/DG/FS(BB)-xxxW (xxx = 520 - 545, in increment of 5)

120 cells: DHN-60X16/DG-xxxW (xxx = 470 - 495, in increment of 5)

120 cells: DHN-60X16/DG(BW)-xxxW (xxx = 470 - 495, in increment of 5)

120 cells: DHN-60X16/DG(BB)-xxxW (xxx = 470 - 495, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

120 cells: DHN-60X16/DG/FS-xxxW (xxx = 470 - 495, in increment of 5)  
120 cells: DHN-60X16/DG/FS(BW)-xxxW (xxx = 470 - 495, in increment of 5)  
120 cells: DHN-60X16/DG/FS(BB)-xxxW (xxx = 470 - 495, in increment of 5)  
108 cells: DHN-54X16/DG-xxxW (xxx = 425 - 445, in increment of 5)  
108 cells: DHN-54X16/DG(BW)-xxxW (xxx = 425 - 445, in increment of 5)  
108 cells: DHN-54X16/DG(BB)-xxxW (xxx = 425 - 445, in increment of 5)  
108 cells: DHN-54X16/DG/FS-xxxW (xxx = 425 - 445, in increment of 5)  
108 cells: DHN-54X16/DG/FS(BW)-xxxW (xxx = 425 - 445, in increment of 5)  
108 cells: DHN-54X16/DG/FS(BB)-xxxW (xxx = 425 - 445, in increment of 5)  
xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules (Unit) with 182 x 91 / 91.875 mm TOPCon Bifacial Mono Solar Cells:**

144 cells: DHN-I72X16/DG-xxxW (xxx = 565 - 595, in increment of 5)  
144 cells: DHN-I72X16/DG(BW)-xxxW (xxx = 565 - 595, in increment of 5)  
144 cells: DHN-I72X16/DG(BB)-xxxW (xxx = 565 - 595, in increment of 5)  
144 cells: DHN-I72X16/DG/FS-xxxW (xxx = 565 - 595, in increment of 5)  
144 cells: DHN-I72X16/DG/FS(BW)-xxxW (xxx = 565 - 595, in increment of 5)  
144 cells: DHN-I72X16/DG/FS(BB)-xxxW (xxx = 565 - 595, in increment of 5)  
132 cells: DHN-I66X16/DG-xxxW (xxx = 520 - 545, in increment of 5)  
132 cells: DHN-I66X16/DG(BW)-xxxW (xxx = 520 - 545, in increment of 5)  
132 cells: DHN-I66X16/DG(BB)-xxxW (xxx = 520 - 545, in increment of 5)  
132 cells: DHN-I66X16/DG/FS-xxxW (xxx = 520 - 545, in increment of 5)  
132 cells: DHN-I66X16/DG/FS(BW)-xxxW (xxx = 520 - 545, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

of 5)  
132 cells: DHN-I66X16/DG/FS(BB)-xxxW (xxx = 520 - 545, in increment of 5)  
120 cells: DHN-I60X16/DG-xxxW (xxx = 470 - 495, in increment of 5)  
120 cells: DHN-I60X16/DG(BW)-xxxW (xxx = 470 - 495, in increment of 5)  
120 cells: DHN-I60X16/DG(BB)-xxxW (xxx = 470 - 495, in increment of 5)  
120 cells: DHN-I60X16/DG/FS-xxxW (xxx = 470 - 495, in increment of 5)  
120 cells: DHN-I60X16/DG/FS(BW)-xxxW (xxx = 470 - 495, in increment of 5)  
120 cells: DHN-I60X16/DG/FS(BB)-xxxW (xxx = 470 - 495, in increment of 5)  
108 cells: DHN-I54X16/DG-xxxW (xxx = 425 - 445, in increment of 5)  
108 cells: DHN-I54X16/DG(BW)-xxxW (xxx = 425 - 445, in increment of 5)  
108 cells: DHN-I54X16/DG(BB)-xxxW (xxx = 425 - 445, in increment of 5)  
108 cells: DHN-I54X16/DG/FS-xxxW (xxx = 425 - 445, in increment of 5)  
108 cells: DHN-I54X16/DG/FS(BW)-xxxW (xxx = 425 - 445, in increment of 5)  
108 cells: DHN-I54X16/DG/FS(BB)-xxxW (xxx = 425 - 445, in increment of 5)  
xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules with 182 x 91 / 91.875 mm TOPCon Bifacial Mono Solar Cells and Colorful Glass:**

144 cells: DHN-72X16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 415 - 570, in increment of 5)  
144 cells: DHN-72X16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 415 - 570, in increment of 5)  
144 cells: DHN-72X16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 415 - 570, in increment of 5)  
144 cells: DHN-72X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 415 - 570, in increment of 5)  
144 cells: DHN-72X16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx =



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

415 - 570, in increment of 5)  
144 cells: DHN-72X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW  
(xxx = 415 - 570, in increment of 5)  
144 cells: DHN-72X16/DG(CM)-xxxW (xxx = 415 - 570, in increment of 5)  
144 cells: DHN-72X16/DG/FS(CM)-xxxW (xxx = 415 - 570, in increment of 5)  
132 cells: DHN-66X16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 380 - 520, in increment of 5)  
132 cells: DHN-66X16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW  
(xxx = 380 - 520, in increment of 5)  
132 cells: DHN-66X16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 380 - 520, in increment of 5)  
132 cells: DHN-66X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW  
(xxx = 380 - 520, in increment of 5)  
132 cells: DHN-66X16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 380 - 520, in increment of 5)  
132 cells: DHN-66X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW  
(xxx = 380 - 520, in increment of 5)  
132 cells: DHN-66X16/DG(CM)-xxxW (xxx = 380 - 520, in increment of 5)  
132 cells: DHN-66X16/DG/FS(CM)-xxxW (xxx = 380 - 520, in increment of 5)  
120 cells: DHN-60X16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 345 - 475, in increment of 5)  
120 cells: DHN-60X16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW  
(xxx = 345 - 475, in increment of 5)  
120 cells: DHN-60X16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 345 - 475, in increment of 5)  
120 cells: DHN-60X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW  
(xxx = 345 - 475, in increment of 5)  
120 cells: DHN-60X16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 345 - 475, in increment of 5)  
120 cells: DHN-60X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW  
(xxx = 345 - 475, in increment of 5)  
120 cells: DHN-60X16/DG(CM)-xxxW (xxx = 345 - 475, in increment of 5)  
120 cells: DHN-60X16/DG/FS(CM)-xxxW (xxx = 345 - 475, in increment of 5)  
108 cells: DHN-54X16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 310 - 425, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

108 cells: DHN-54X16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW  
(xxx = 310 - 425, in increment of 5)  
108 cells: DHN-54X16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx =  
310 - 425, in increment of 5)  
108 cells: DHN-54X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW  
(xxx = 310 - 425, in increment of 5)  
108 cells: DHN-54X16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx =  
310 - 425, in increment of 5)  
108 cells: DHN-54X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW  
(xxx = 310 - 425, in increment of 5)  
108 cells: DHN-54X16/DG(CM)-xxxW (xxx = 310 - 425, in increment of 5)  
108 cells: DHN-54X16/DG/FS(CM)-xxxW (xxx = 310 - 425, in increment  
of 5)  
xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules with 182 x 95.8 mm TOPCon Bifacial Mono Solar Cells:**

144 cells: DHN-72R18/DG-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R18/DG(BW)-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R18/DG(BB)-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R18/DG/FS-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R18/DG/FS(BW)-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R18/DG/FS(BB)-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R20/DG-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R20/DG(BW)-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R20/DG(BB)-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R20/DG/FS-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R20/DG/FS(BW)-xxxW (xxx = 595 - 625, in increment of 5)  
144 cells: DHN-72R20/DG/FS(BB)-xxxW (xxx = 595 - 625, in increment of 5)  
132 cells: DHN-66R18/DG-xxxW (xxx = 545 - 570, in increment of 5)  
132 cells: DHN-66R18/DG(BW)-xxxW (xxx = 545 - 570, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

- 5)  
132 cells: DHN-66R18/DG (BB)-xxxW (xxx = 545 - 570, in increment of 5)  
132 cells: DHN-66R18/DG/FS-xxxW (xxx = 545 - 570, in increment of 5)  
132 cells: DHN-66R18/DG/FS(BW)-xxxW (xxx = 545 - 570, in increment of 5)  
132 cells: DHN-66R18/DG/FS(BB)-xxxW (xxx = 545 - 570, in increment of 5)  
132 cells: DHN-66R20/DG-xxxW (xxx = 545 - 570, in increment of 5)  
132 cells: DHN-66R20/DG(BW)-xxxW (xxx = 545 - 570, in increment of 5)  
132 cells: DHN-66R20/DG (BB)-xxxW (xxx = 545 - 570, in increment of 5)  
132 cells: DHN-66R20/DG/FS-xxxW (xxx = 545 - 570, in increment of 5)  
132 cells: DHN-66R20/DG/FS(BW)-xxxW (xxx = 545 - 570, in increment of 5)  
132 cells: DHN-66R20/DG/FS(BB)-xxxW (xxx = 545 - 570, in increment of 5)  
120 cells: DHN-60R18/DG-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R18/DG(BW)-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R18/DG (BB)-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R18/DG/FS-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R18/DG/FS(BW)-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R18/DG/FS(BB)-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R20/DG-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R20/DG(BW)-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R20/DG (BB)-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R20/DG/FS-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R20/DG/FS(BW)-xxxW (xxx = 495 - 520, in increment of 5)  
120 cells: DHN-60R20/DG/FS(BB)-xxxW (xxx = 495 - 520, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

of 5)

108 cells: DHN-54R18/DG-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R18/DG(BW)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R18/DG (BB)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R18/DG/FS-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R18/DG/FS(BW)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R18/DG/FS(BB)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R20/DG-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R20/DG(BW)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R20/DG (BB)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R20/DG/FS-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R20/DG/FS(BW)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-54R20/DG/FS(BB)-xxxW (xxx = 445 - 465, in increment of 5)

xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules (Unit) with 182 x 95.8 mm TOPCon Bifacial Mono Solar Cells:**

144 cells: DHN-I72R18/DG-xxxW (xxx = 595 - 625, in increment of 5)

144 cells: DHN-I72R18/DG(BW)-xxxW (xxx = 595 - 625, in increment of 5)

144 cells: DHN-I72R18/DG(BB)-xxxW (xxx = 595 - 625, in increment of 5)

144 cells: DHN-I72R18/DG/FS-xxxW (xxx = 595 - 625, in increment of 5)

144 cells: DHN-I72R18/DG/FS(BW)-xxxW (xxx = 595 - 625, in increment of 5)

144 cells: DHN-I72R18/DG/FS(BB)-xxxW (xxx = 595 - 625, in increment of 5)

144 cells: DHN-I72R20/DG-xxxW (xxx = 595 - 625, in increment of 5)



**TÜV NORD CERT GmbH**  
Certification Body  
Consumer Products

- 144 cells: DHN-I72R20/DG(BW)-xxxW (xxx = 595 - 625, in increment of 5)
- 144 cells: DHN-I72R20/DG(BB)-xxxW (xxx = 595 - 625, in increment of 5)
- 144 cells: DHN-I72R20/DG/FS-xxxW (xxx = 595 - 625, in increment of 5)
- 144 cells: DHN-I72R20/DG/FS(BW)-xxxW (xxx = 595 - 625, in increment of 5)
- 144 cells: DHN-I72R20/DG/FS(BB)-xxxW (xxx = 595 - 625, in increment of 5)
- 132 cells: DHN-I66R18/DG-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R18/DG(BW)-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R18/DG (BB)-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R18/DG/FS-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R18/DG/FS(BW)-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R18/DG/FS(BB)-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R20/DG-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R20/DG(BW)-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R20/DG (BB)-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R20/DG/FS-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R20/DG/FS(BW)-xxxW (xxx = 545 - 570, in increment of 5)
- 132 cells: DHN-I66R20/DG/FS(BB)-xxxW (xxx = 545 - 570, in increment of 5)
- 120 cells: DHN-I60R18/DG-xxxW (xxx = 495 - 520, in increment of 5)
- 120 cells: DHN-I60R18/DG(BW)-xxxW (xxx = 495 - 520, in increment of 5)
- 120 cells: DHN-I60R18/DG (BB)-xxxW (xxx = 495 - 520, in increment of 5)
- 120 cells: DHN-I60R18/DG/FS-xxxW (xxx = 495 - 520, in increment of 5)
- 120 cells: DHN-I60R18/DG/FS(BW)-xxxW (xxx = 495 - 520, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

120 cells: DHN-I60R18/DG/FS(BB)-xxxW (xxx = 495 - 520, in increment of 5)

120 cells: DHN-I60R20/DG-xxxW (xxx = 495 - 520, in increment of 5)

120 cells: DHN-I60R20/DG(BW)-xxxW (xxx = 495 - 520, in increment of 5)

120 cells: DHN-I60R20/DG (BB)-xxxW (xxx = 495 - 520, in increment of 5)

120 cells: DHN-I60R20/DG/FS-xxxW (xxx = 495 - 520, in increment of 5)

120 cells: DHN-I60R20/DG/FS(BW)-xxxW (xxx = 495 - 520, in increment of 5)

120 cells: DHN-I60R20/DG/FS(BB)-xxxW (xxx = 495 - 520, in increment of 5)

108 cells: DHN-I54R18/DG-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R18/DG(BW)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R18/DG (BB)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R18/DG/FS-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R18/DG/FS(BW)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R18/DG/FS(BB)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R20/DG-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R20/DG(BW)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R20/DG (BB)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R20/DG/FS-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R20/DG/FS(BW)-xxxW (xxx = 445 - 465, in increment of 5)

108 cells: DHN-I54R20/DG/FS(BB)-xxxW (xxx = 445 - 465, in increment of 5)

xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules with 182 x 95.8 mm TOPCon Bifacial Mono Solar Cells and Colorful Glass:**



**TÜV NORD CERT GmbH**  
Certification Body  
Consumer Products

- 144 cells: DHN-72R20/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R20/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R20/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R20/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R20/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R20/DG(CM)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R20/DG/FS(CM)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R18/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R18/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R18/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R18/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R18/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R18/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R18/DG(CM)-xxxW (xxx = 430 - 600, in increment of 5)
- 144 cells: DHN-72R18/DG/FS(CM)-xxxW (xxx = 430 - 600, in increment of 5)
- 132 cells: DHN-66R20/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 550, in increment of 5)
- 132 cells: DHN-66R20/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 550, in increment of 5)
- 132 cells: DHN-66R20/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 395 - 550, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

132 cells: DHN-66R20/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW  
(xxx = 395 - 550, in increment of 5)

132 cells: DHN-66R20/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx =  
395 - 550, in increment of 5)

132 cells: DHN-66R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW  
(xxx = 395 - 550, in increment of 5)

132 cells: DHN-66R20/DG(CM)-xxxW (xxx = 395 - 550, in increment of  
5)

132 cells: DHN-66R20/DG/FS(CM)-xxxW (xxx = 395 - 550, in increment  
of 5)

132 cells: DHN-66R18/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx =  
395 - 550, in increment of 5)

132 cells: DHN-66R18/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW  
(xxx = 395 - 550, in increment of 5)

132 cells: DHN-66R18/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx =  
395 - 550, in increment of 5)

132 cells: DHN-66R18/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW  
(xxx = 395 - 550, in increment of 5)

132 cells: DHN-66R18/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx =  
395 - 550, in increment of 5)

132 cells: DHN-66R18/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW  
(xxx = 395 - 550, in increment of 5)

132 cells: DHN-66R18/DG(CM)-xxxW (xxx = 395 - 550, in increment of  
5)

132 cells: DHN-66R18/DG/FS(CM)-xxxW (xxx = 395 - 550, in increment  
of 5)

120 cells: DHN-60R20/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx =  
360 - 500, in increment of 5)

120 cells: DHN-60R20/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW  
(xxx = 360 - 500, in increment of 5)

120 cells: DHN-60R20/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx =  
360 - 500, in increment of 5)

120 cells: DHN-60R20/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW  
(xxx = 360 - 500, in increment of 5)

120 cells: DHN-60R20/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx =  
360 - 500, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

- 120 cells: DHN-60R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW  
(xxx = 360 - 500, in increment of 5)
- 120 cells: DHN-60R20/DG(CM)-xxxW (xxx = 360 - 500, in increment of 5)
- 120 cells: DHN-60R20/DG/FS(CM)-xxxW (xxx = 360 - 500, in increment of 5)
- 120 cells: DHN-60R18/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 360 - 500, in increment of 5)
- 120 cells: DHN-60R18/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW  
(xxx = 360 - 500, in increment of 5)
- 120 cells: DHN-60R18/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 360 - 500, in increment of 5)
- 120 cells: DHN-60R18/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW  
(xxx = 360 - 500, in increment of 5)
- 120 cells: DHN-60R18/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 360 - 500, in increment of 5)
- 120 cells: DHN-60R18/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW  
(xxx = 360 - 500, in increment of 5)
- 120 cells: DHN-60R18/DG(CM)-xxxW (xxx = 360 - 500, in increment of 5)
- 120 cells: DHN-60R18/DG/FS(CM)-xxxW (xxx = 360 - 500, in increment of 5)
- 108 cells: DHN-54R20/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 325 - 450, in increment of 5)
- 108 cells: DHN-54R20/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW  
(xxx = 325 - 450, in increment of 5)
- 108 cells: DHN-54R20/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 325 - 450, in increment of 5)
- 108 cells: DHN-54R20/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW  
(xxx = 325 - 450, in increment of 5)
- 108 cells: DHN-54R20/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 325 - 450, in increment of 5)
- 108 cells: DHN-54R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW  
(xxx = 325 - 450, in increment of 5)
- 108 cells: DHN-54R20/DG(CM)-xxxW (xxx = 325 - 450, in increment of 5)
- 108 cells: DHN-54R20/DG/FS(CM)-xxxW (xxx = 325 - 450, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

of 5)

108 cells: DHN-54R18/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 325 - 450, in increment of 5)

108 cells: DHN-54R18/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 325 - 450, in increment of 5)

108 cells: DHN-54R18/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 325 - 450, in increment of 5)

108 cells: DHN-54R18/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 325 - 450, in increment of 5)

108 cells: DHN-54R18/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 325 - 450, in increment of 5)

108 cells: DHN-54R18/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 325 - 450, in increment of 5)

108 cells: DHN-54R18/DG(CM)-xxxW (xxx = 325 - 450, in increment of 5)

108 cells: DHN-54R18/DG/FS(CM)-xxxW (xxx = 325 - 450, in increment of 5)

xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules with 182 x 84.6 mm TOPCon Bifacial Mono Solar Cells:**

156 cells: DHN-78S16/DG-xxxW (xxx = 565 - 595, in increment of 5)

156 cells: DHN-78S16/DG(BW)-xxxW (xxx = 565 - 595, in increment of 5)

156 cells: DHN-78S16/DG (BB)-xxxW (xxx = 565 - 595, in increment of 5)

156 cells: DHN-78S16/DG/FS-xxxW (xxx = 565 - 595, in increment of 5)

156 cells: DHN-78S16/DG/FS(BW)-xxxW (xxx = 565 - 595, in increment of 5)

156 cells: DHN-78S16/DG/FS(BB)-xxxW (xxx = 565 - 595, in increment of 5)

xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules with 182 x 94 mm TOPCon Bifacial Mono Solar Cells:**

144 cells: DHN-72K16/DG-xxxW (xxx = 585 - 615, in increment of 5)



**TÜV NORD CERT GmbH**  
Certification Body  
Consumer Products

- 144 cells: DHN-72K16/DG(BW)-xxxW (xxx = 585 - 615, in increment of 5)  
144 cells: DHN-72K16/DG(BB)-xxxW (xxx = 585 - 615, in increment of 5)  
144 cells: DHN-72K16/DG/FS-xxxW (xxx = 585 - 615, in increment of 5)  
144 cells: DHN-72K16/DG/FS(BW)-xxxW (xxx = 585 - 615, in increment of 5)  
144 cells: DHN-72K16/DG/FS(BB)-xxxW (xxx = 585 - 615, in increment of 5)  
132 cells: DHN-66K16/DG-xxxW (xxx = 535 - 560, in increment of 5)  
132 cells: DHN-66K16/DG(BW)-xxxW (xxx = 535 - 560, in increment of 5)  
132 cells: DHN-66K16/DG (BB)-xxxW (xxx = 535 - 560, in increment of 5)  
132 cells: DHN-66K16/DG/FS-xxxW (xxx = 535 - 560, in increment of 5)  
132 cells: DHN-66K16/DG/FS(BW)-xxxW (xxx = 535 - 560, in increment of 5)  
132 cells: DHN-66K16/DG/FS(BB)-xxxW (xxx = 535 - 560, in increment of 5)  
120 cells: DHN-60K16/DG-xxxW (xxx = 490 - 510, in increment of 5)  
120 cells: DHN-60K16/DG(BW)-xxxW (xxx = 490 - 510, in increment of 5)  
120 cells: DHN-60K16/DG (BB)-xxxW (xxx = 490 - 510, in increment of 5)  
120 cells: DHN-60K16/DG/FS-xxxW (xxx = 490 - 510, in increment of 5)  
120 cells: DHN-60K16/DG/FS(BW)-xxxW (xxx = 490 - 510, in increment of 5)  
120 cells: DHN-60K16/DG/FS(BB)-xxxW (xxx = 490 - 510, in increment of 5)  
108 cells: DHN-54K16/DG-xxxW (xxx = 440 - 460, in increment of 5)  
108 cells: DHN-54K16/DG(BW)-xxxW (xxx = 440 - 460, in increment of 5)  
108 cells: DHN-54K16/DG (BB)-xxxW (xxx = 440 - 460, in increment of 5)  
108 cells: DHN-54K16/DG/FS-xxxW (xxx = 440 - 460, in increment of 5)  
108 cells: DHN-54K16/DG/FS(BW)-xxxW (xxx = 440 - 460, in increment of 5)  
108 cells: DHN-54K16/DG/FS(BB)-xxxW (xxx = 440 - 460, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

of 5)

xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules with 182 x 105 mm TOPCon Bifacial Mono Solar Cells:**

132 cells: DHN-66Z16/DG-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z16/DG(BW)-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z16/DG (BB)-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z16/DG/FS-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z16/DG/FS(BW)-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z16/DG/FS(BB)-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z20/DG-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z20/DG(BW)-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z20/DG (BB)-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z20/DG/FS-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z20/DG/FS(BW)-xxxW (xxx = 585 - 640, in increment of 5)

132 cells: DHN-66Z20/DG/FS(BB)-xxxW (xxx = 585 - 640, in increment of 5)

120 cells: DHN-60Z16/DG-xxxW (xxx = 530 - 580, in increment of 5)

120 cells: DHN-60Z16/DG(BW)-xxxW (xxx = 530 - 580, in increment of 5)

120 cells: DHN-60Z16/DG (BB)-xxxW (xxx = 530 - 580, in increment of 5)

120 cells: DHN-60Z16/DG/FS-xxxW (xxx = 530 - 580, in increment of 5)

120 cells: DHN-60Z16/DG/FS(BW)-xxxW (xxx = 530 - 580, in increment of 5)

120 cells: DHN-60Z16/DG/FS(BB)-xxxW (xxx = 530 - 580, in increment of 5)

120 cells: DHN-60Z20/DG-xxxW (xxx = 530 - 580, in increment of 5)

120 cells: DHN-60Z20/DG(BW)-xxxW (xxx = 530 - 580, in increment of 5)

120 cells: DHN-60Z20/DG (BB)-xxxW (xxx = 530 - 580, in increment of 5)

120 cells: DHN-60Z20/DG/FS-xxxW (xxx = 530 - 580, in increment of 5)

120 cells: DHN-60Z20/DG/FS(BW)-xxxW (xxx = 530 - 580, in increment of 5)



**TÜV NORD CERT GmbH**  
Certification Body  
Consumer Products

120 cells: DHN-60Z20/DG/FS(BB)-xxxW (xxx = 530 - 580, in increment of 5)

108 cells: DHN-54Z16/DG-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z16/DG(BW)-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z16/DG (BB)-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z16/DG/FS-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z16/DG/FS(BW)-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z16/DG/FS(BB)-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z20/DG-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z20/DG(BW)-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z20/DG (BB)-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z20/DG/FS-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z20/DG/FS(BW)-xxxW (xxx = 480 - 520, in increment of 5)

108 cells: DHN-54Z20/DG/FS(BB)-xxxW (xxx = 480 - 520, in increment of 5)

96 cells: DHN-48Z16/DG-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z16/DG(BW)-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z16/DG (BB)-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z16/DG/FS-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z16/DG/FS(BW)-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z16/DG/FS(BB)-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z20/DG-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z20/DG(BW)-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z20/DG (BB)-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z20/DG/FS-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z20/DG/FS(BW)-xxxW (xxx = 425 - 465, in increment of 5)

96 cells: DHN-48Z20/DG/FS(BB)-xxxW (xxx = 425 - 465, in increment of 5)

xxx indicates rated output power generated from front side under STC



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

Module types:

**Double Glass PV Modules (Unit) with 182 x 105 mm TOPCon Bifacial Mono Solar Cells:**

- 132 cells: DHN-I66Z16/DG-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z16/DG(BW)-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z16/DG (BB)-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z16/DG/FS-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z16/DG/FS(BW)-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z16/DG/FS(BB)-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z20/DG-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z20/DG(BW)-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z20/DG (BB)-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z20/DG/FS-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z20/DG/FS(BW)-xxxW (xxx = 595 - 630, in increment of 5)
- 132 cells: DHN-I66Z20/DG/FS(BB)-xxxW (xxx = 595 - 630, in increment of 5)
- 120 cells: DHN-I60Z16/DG-xxxW (xxx = 540 - 570, in increment of 5)
- 120 cells: DHN-I60Z16/DG(BW)-xxxW (xxx = 540 - 570, in increment of 5)
- 120 cells: DHN-I60Z16/DG (BB)-xxxW (xxx = 540 - 570, in increment of 5)
- 120 cells: DHN-I60Z16/DG/FS-xxxW (xxx = 540 - 570, in increment of 5)
- 120 cells: DHN-I60Z16/DG/FS(BW)-xxxW (xxx = 540 - 570, in increment of 5)
- 120 cells: DHN-I60Z16/DG/FS(BB)-xxxW (xxx = 540 - 570, in increment of 5)
- 120 cells: DHN-I60Z20/DG-xxxW (xxx = 540 - 570, in increment of 5)
- 120 cells: DHN-I60Z20/DG(BW)-xxxW (xxx = 540 - 570, in increment of 5)
- 120 cells: DHN-I60Z20/DG (BB)-xxxW (xxx = 540 - 570, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

120 cells: DHN-I60Z20/DG/FS-xxxW (xxx = 540 - 570, in increment of 5)  
120 cells: DHN-I60Z20/DG/FS(BW)-xxxW (xxx = 540 - 570, in increment of 5)  
120 cells: DHN-I60Z20/DG/FS(BB)-xxxW (xxx = 540 - 570, in increment of 5)  
108 cells: DHN-I54Z16/DG-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z16/DG(BW)-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z16/DG (BB)-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z16/DG/FS-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z16/DG/FS(BW)-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z16/DG/FS(BB)-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z20/DG-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z20/DG(BW)-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z20/DG (BB)-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z20/DG/FS-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z20/DG/FS(BW)-xxxW (xxx = 485 - 515, in increment of 5)  
108 cells: DHN-I54Z20/DG/FS(BB)-xxxW (xxx = 485 - 515, in increment of 5)  
96 cells: DHN-I48Z16/DG-xxxW (xxx = 435 - 455, in increment of 5)  
96 cells: DHN-I48Z16/DG(BW)-xxxW (xxx = 435 - 455, in increment of 5)  
96 cells: DHN-I48Z16/DG (BB)-xxxW (xxx = 435 - 455, in increment of 5)  
96 cells: DHN-I48Z16/DG/FS-xxxW (xxx = 435 - 455, in increment of 5)  
96 cells: DHN-I48Z16/DG/FS(BW)-xxxW (xxx = 435 - 455, in increment of 5)  
96 cells: DHN-I48Z16/DG/FS(BB)-xxxW (xxx = 435 - 455, in increment of 5)  
96 cells: DHN-I48Z20/DG-xxxW (xxx = 435 - 455, in increment of 5)  
96 cells: DHN-I48Z20/DG(BW)-xxxW (xxx = 435 - 455, in increment of 5)  
96 cells: DHN-I48Z20/DG (BB)-xxxW (xxx = 435 - 455, in increment of 5)  
96 cells: DHN-I48Z20/DG/FS-xxxW (xxx = 435 - 455, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

96 cells: DHN-I48Z20/DG/FS(BW)-xxxW (xxx = 435 - 455, in increment of 5)

96 cells: DHN-I48Z20/DG/FS(BB)-xxxW (xxx = 435 - 455, in increment of 5)

xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules with 182 x 105 mm TOPCon Bifacial Mono Solar Cells and Colorful Glass:**

132 cells: DHN-66Z16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 435 - 600, in increment of 5)

132 cells: DHN-66Z16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 435 - 600, in increment of 5)

132 cells: DHN-66Z16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 435 - 600, in increment of 5)

132 cells: DHN-66Z16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 435 - 600, in increment of 5)

132 cells: DHN-66Z16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 435 - 600, in increment of 5)

132 cells: DHN-66Z16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 435 - 600, in increment of 5)

132 cells: DHN-66Z16/DG(CM)-xxxW (xxx = 435 - 600, in increment of 5)

132 cells: DHN-66Z16/DG/FS(CM)-xxxW (xxx = 435 - 600, in increment of 5)

120 cells: DHN-60Z16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 545, in increment of 5)

120 cells: DHN-60Z16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 545, in increment of 5)

120 cells: DHN-60Z16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 395 - 545, in increment of 5)

120 cells: DHN-60Z16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 395 - 545, in increment of 5)

120 cells: DHN-60Z16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 395 - 545, in increment of 5)

120 cells: DHN-60Z16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 395 - 545, in increment of 5)

120 cells: DHN-60Z16/DG(CM)-xxxW (xxx = 395 - 545, in increment of 5)

120 cells: DHN-60Z16/DG/FS(CM)-xxxW (xxx = 395 - 545, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

of 5)

108 cells: DHN-54Z16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 355 - 490, in increment of 5)

108 cells: DHN-54Z16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 355 - 490, in increment of 5)

108 cells: DHN-54Z16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 355 - 490, in increment of 5)

108 cells: DHN-54Z16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 355 - 490, in increment of 5)

108 cells: DHN-54Z16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 355 - 490, in increment of 5)

108 cells: DHN-54Z16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 355 - 490, in increment of 5)

108 cells: DHN-54Z16/DG(CM)-xxxW (xxx = 355 - 490, in increment of 5)

108 cells: DHN-54Z16/DG/FS(CM)-xxxW (xxx = 355 - 490, in increment of 5)

96 cells: DHN-48Z16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 315 - 435, in increment of 5)

96 cells: DHN-48Z16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 315 - 435, in increment of 5)

96 cells: DHN-48Z16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 315 - 435, in increment of 5)

96 cells: DHN-48Z16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 315 - 435, in increment of 5)

96 cells: DHN-48Z16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 315 - 435, in increment of 5)

96 cells: DHN-48Z16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 315 - 435, in increment of 5)

96 cells: DHN-48Z16/DG(CM)-xxxW (xxx = 315 - 435, in increment of 5)

96 cells: DHN-48Z16/DG/FS(CM)-xxxW (xxx = 315 - 435, in increment of 5)

xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules (Unit) with 182 x 63.87 mm TOPCon Bifacial Mono Solar Cells:**

216 cells: DHN-U72R20/DG-xxxW (xxx = 595 - 630, in increment of 5)

216 cells: DHN-U72R20/DG(BW)-xxxW (xxx = 595 - 630, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

- 5)  
216 cells: DHN-U72R20/DG(BB)-xxxW (xxx = 595 - 630, in increment of 5)  
216 cells: DHN-U72R20/DG(FS)-xxxW (xxx = 595 - 630, in increment of 5)  
216 cells: DHN-U72R20/DG(FS(BW))-xxxW (xxx = 595 - 630, in increment of 5)  
216 cells: DHN-U72R20/DG(FS(BB))-xxxW (xxx = 595 - 630, in increment of 5)  
216 cells: DHN-U72R18/DG-xxxW (xxx = 595 - 630, in increment of 5)  
216 cells: DHN-U72R18/DG(BW)-xxxW (xxx = 595 - 630, in increment of 5)  
216 cells: DHN-U72R18/DG(BB)-xxxW (xxx = 595 - 630, in increment of 5)  
216 cells: DHN-U72R18/DG(FS)-xxxW (xxx = 595 - 630, in increment of 5)  
216 cells: DHN-U72R18/DG(FS(BW))-xxxW (xxx = 595 - 630, in increment of 5)  
216 cells: DHN-U72R18/DG(FS(BB))-xxxW (xxx = 595 - 630, in increment of 5)  
204 cells: DHN-U68R20/DG-xxxW (xxx = 560 - 595, in increment of 5)  
204 cells: DHN-U68R20/DG(BW)-xxxW (xxx = 560 - 595, in increment of 5)  
204 cells: DHN-U68R20/DG(BB)-xxxW (xxx = 560 - 595, in increment of 5)  
204 cells: DHN-U68R20/DG(FS)-xxxW (xxx = 560 - 595, in increment of 5)  
204 cells: DHN-U68R20/DG(FS(BW))-xxxW (xxx = 560 - 595, in increment of 5)  
204 cells: DHN-U68R20/DG(FS(BB))-xxxW (xxx = 560 - 595, in increment of 5)  
204 cells: DHN-U68R18/DG-xxxW (xxx = 560 - 595, in increment of 5)  
204 cells: DHN-U68R18/DG(BW)-xxxW (xxx = 560 - 595, in increment of 5)  
204 cells: DHN-U68R18/DG(BB)-xxxW (xxx = 560 - 595, in increment of 5)  
204 cells: DHN-U68R18/DG(FS)-xxxW (xxx = 560 - 595, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

- 204 cells: DHN-U68R18/DG/FS(BW)-xxxW (xxx = 560 - 595, in increment of 5)
- 204 cells: DHN-U68R18/DG/FS(BB)-xxxW (xxx = 560 - 595, in increment of 5)
- 180 cells: DHN-U60R20/DG-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R20/DG(BW)-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R20/DG (BB)-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R20/DG/FS-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R20/DG/FS(BW)-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R20/DG/FS(BB)-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R18/DG-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R18/DG(BW)-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R18/DG (BB)-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R18/DG/FS-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R18/DG/FS(BW)-xxxW (xxx = 495 - 525, in increment of 5)
- 180 cells: DHN-U60R18/DG/FS(BB)-xxxW (xxx = 495 - 525, in increment of 5)
- 168 cells: DHN-U56R20/DG-xxxW (xxx = 465 - 490, in increment of 5)
- 168 cells: DHN-U56R20/DG(BW)-xxxW (xxx = 465 - 490, in increment of 5)
- 168 cells: DHN-U56R20/DG (BB)-xxxW (xxx = 465 - 490, in increment of 5)
- 168 cells: DHN-U56R20/DG/FS-xxxW (xxx = 465 - 490, in increment of 5)
- 168 cells: DHN-U56R20/DG/FS(BW)-xxxW (xxx = 465 - 490, in increment of 5)
- 168 cells: DHN-U56R20/DG/FS(BB)-xxxW (xxx = 465 - 490, in increment of 5)
- 168 cells: DHN-U56R18/DG-xxxW (xxx = 465 - 490, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

- 168 cells: DHN-U56R18/DG(BW)-xxxW (xxx = 465 - 490, in increment of 5)
- 168 cells: DHN-U56R18/DG (BB)-xxxW (xxx = 465 - 490, in increment of 5)
- 168 cells: DHN-U56R18/DG/FS-xxxW (xxx = 465 - 490, in increment of 5)
- 168 cells: DHN-U56R18/DG/FS(BW)-xxxW (xxx = 465 - 490, in increment of 5)
- 168 cells: DHN-U56R18/DG/FS(BB)-xxxW (xxx = 465 - 490, in increment of 5)
- 156 cells: DHN-U52R20/DG-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R20/DG(BW)-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R20/DG (BB)-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R20/DG/FS-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R20/DG/FS(BW)-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R20/DG/FS(BB)-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R18/DG-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R18/DG(BW)-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R18/DG (BB)-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R18/DG/FS-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R18/DG/FS(BW)-xxxW (xxx = 430 - 455, in increment of 5)
- 156 cells: DHN-U52R18/DG/FS(BB)-xxxW (xxx = 430 - 455, in increment of 5)
- 144 cells: DHN-U48R20/DG-xxxW (xxx = 395 - 420, in increment of 5)
- 144 cells: DHN-U48R20/DG(BW)-xxxW (xxx = 395 - 420, in increment of 5)
- 144 cells: DHN-U48R20/DG (BB)-xxxW (xxx = 395 - 420, in increment of 5)



**TÜV NORD CERT GmbH**  
Certification Body  
Consumer Products

- 5)  
144 cells: DHN-U48R20/DG/FS-xxxW (xxx = 395 - 420, in increment of 5)  
144 cells: DHN-U48R20/DG/FS(BW)-xxxW (xxx = 395 - 420, in increment of 5)  
144 cells: DHN-U48R20/DG/FS(BB)-xxxW (xxx = 395 - 420, in increment of 5)  
144 cells: DHN-U48R18/DG-xxxW (xxx = 395 - 420, in increment of 5)  
144 cells: DHN-U48R18/DG(BW)-xxxW (xxx = 395 - 420, in increment of 5)  
144 cells: DHN-U48R18/DG (BB)-xxxW (xxx = 395 - 420, in increment of 5)  
144 cells: DHN-U48R18/DG/FS-xxxW (xxx = 395 - 420, in increment of 5)  
144 cells: DHN-U48R18/DG/FS(BW)-xxxW (xxx = 395 - 420, in increment of 5)  
144 cells: DHN-U48R18/DG/FS(BB)-xxxW (xxx = 395 - 420, in increment of 5)  
xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules (Unit) with 182 x 70 mm TOPCon Bifacial Mono Solar Cells:**

- 192 cells: DHN-U64Z20/DG-xxxW (xxx = 580 - 615, in increment of 5)  
192 cells: DHN-U64Z20/DG(BW)-xxxW (xxx = 580 - 615, in increment of 5)  
192 cells: DHN-U64Z20/DG (BB)-xxxW (xxx = 580 - 615, in increment of 5)  
192 cells: DHN-U64Z20/DG/FS-xxxW (xxx = 580 - 615, in increment of 5)  
192 cells: DHN-U64Z20/DG/FS(BW)-xxxW (xxx = 580 - 615, in increment of 5)  
192 cells: DHN-U64Z20/DG/FS(BB)-xxxW (xxx = 580 - 615, in increment of 5)  
192 cells: DHN-U64Z16/DG-xxxW (xxx = 580 - 615, in increment of 5)  
192 cells: DHN-U64Z16/DG(BW)-xxxW (xxx = 580 - 615, in increment of 5)  
192 cells: DHN-U64Z16/DG (BB)-xxxW (xxx = 580 - 615, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

- 5)  
192 cells: DHN-U64Z16/DG/FS-xxxW (xxx = 580 - 615, in increment of 5)  
192 cells: DHN-U64Z16/DG/FS(BW)-xxxW (xxx = 580 - 615, in increment of 5)  
192 cells: DHN-U64Z16/DG/FS(BB)-xxxW (xxx = 580 - 615, in increment of 5)  
180 cells: DHN-U60Z20/DG-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z20/DG(BW)-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z20/DG (BB)-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z20/DG/FS-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z20/DG/FS(BW)-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z20/DG/FS(BB)-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z16/DG-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z16/DG(BW)-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z16/DG (BB)-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z16/DG/FS-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z16/DG/FS(BW)-xxxW (xxx = 545 - 575, in increment of 5)  
180 cells: DHN-U60Z16/DG/FS(BB)-xxxW (xxx = 545 - 575, in increment of 5)  
156 cells: DHN-U52Z20/DG-xxxW (xxx = 470 - 500, in increment of 5)  
156 cells: DHN-U52Z20/DG(BW)-xxxW (xxx = 470 - 500, in increment of 5)  
156 cells: DHN-U52Z20/DG (BB)-xxxW (xxx = 470 - 500, in increment of 5)  
156 cells: DHN-U52Z20/DG/FS-xxxW (xxx = 470 - 500, in increment of 5)  
156 cells: DHN-U52Z20/DG/FS(BW)-xxxW (xxx = 470 - 500, in increment of 5)  
156 cells: DHN-U52Z20/DG/FS(BB)-xxxW (xxx = 470 - 500, in increment of 5)  
156 cells: DHN-U52Z16/DG-xxxW (xxx = 470 - 500, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

156 cells: DHN-U52Z16/DG(BW)-xxxW (xxx = 470 - 500, in increment of 5)  
156 cells: DHN-U52Z16/DG (BB)-xxxW (xxx = 470 - 500, in increment of 5)  
156 cells: DHN-U52Z16/DG/FS-xxxW (xxx = 470 - 500, in increment of 5)  
156 cells: DHN-U52Z16/DG/FS(BW)-xxxW (xxx = 470 - 500, in increment of 5)  
156 cells: DHN-U52Z16/DG/FS(BB)-xxxW (xxx = 470 - 500, in increment of 5)  
144 cells: DHN-U48Z20/DG-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z20/DG(BW)-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z20/DG (BB)-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z20/DG/FS-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z20/DG/FS(BW)-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z20/DG/FS(BB)-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z16/DG-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z16/DG(BW)-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z16/DG (BB)-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z16/DG/FS-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z16/DG/FS(BW)-xxxW (xxx = 435 - 460, in increment of 5)  
144 cells: DHN-U48Z16/DG/FS(BB)-xxxW (xxx = 435 - 460, in increment of 5)  
xxx indicates rated output power generated from front side under STC

Module types:

**Double Glass PV Modules with 210 x 105 mm TOPCon Bifacial Mono Solar Cells:**

132 cells: DHN-66Y18/DG-xxxW (xxx = 700 - 730, in increment of 5)  
132 cells: DHN-66Y18/DG(BW)-xxxW (xxx = 700 - 730, in increment of 5)  
132 cells: DHN-66Y18/DG (BB)-xxxW (xxx = 700 - 730, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

- 5)  
132 cells: DHN-66Y18/DG/FS-xxxW (xxx = 700 - 730, in increment of 5)  
132 cells: DHN-66Y18/DG/FS(BW)-xxxW (xxx = 700 - 730, in increment of 5)  
132 cells: DHN-66Y18/DG/FS(BB)-xxxW (xxx = 700 - 730, in increment of 5)  
120 cells: DHN-60Y18/DG-xxxW (xxx = 635 - 660, in increment of 5)  
120 cells: DHN-60Y18/DG(BW)-xxxW (xxx = 635 - 660, in increment of 5)  
120 cells: DHN-60Y18/DG (BB)-xxxW (xxx = 635 - 660, in increment of 5)  
120 cells: DHN-60Y18/DG/FS-xxxW (xxx = 635 - 660, in increment of 5)  
120 cells: DHN-60Y18/DG/FS(BW)-xxxW (xxx = 635 - 660, in increment of 5)  
120 cells: DHN-60Y18/DG/FS(BB)-xxxW (xxx = 635 - 660, in increment of 5)  
108 cells: DHN-54Y18/DG-xxxW (xxx = 575 - 595, in increment of 5)  
108 cells: DHN-54Y18/DG(BW)-xxxW (xxx = 575 - 595, in increment of 5)  
108 cells: DHN-54Y18/DG (BB)-xxxW (xxx = 575 - 595, in increment of 5)  
108 cells: DHN-54Y18/DG/FS-xxxW (xxx = 575 - 595, in increment of 5)  
108 cells: DHN-54Y18/DG/FS(BW)-xxxW (xxx = 575 - 595, in increment of 5)  
108 cells: DHN-54Y18/DG/FS(BB)-xxxW (xxx = 575 - 595, in increment of 5)  
96 cells: DHN-48Y18/DG-xxxW (xxx = 510 - 530, in increment of 5)  
96 cells: DHN-48Y18/DG(BW)-xxxW (xxx = 510 - 530, in increment of 5)  
96 cells: DHN-48Y18/DG (BB)-xxxW (xxx = 510 - 530, in increment of 5)  
96 cells: DHN-48Y18/DG/FS-xxxW (xxx = 510 - 530, in increment of 5)  
96 cells: DHN-48Y18/DG/FS(BW)-xxxW (xxx = 510 - 530, in increment of 5)  
96 cells: DHN-48Y18/DG/FS(BB)-xxxW (xxx = 510 - 530, in increment of 5)  
xxx indicates rated output power generated from front side under STC



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

Module types:

**Double Glass PV Modules (Unit) with 182 x60.67 /61.25 mm TOPCon Bifacial Mono Solar Cells:**

216 cells: DHN-U72X16/DG-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X16/DG(BW)-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X16/DG(BB)-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X16/DG/FS-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X16/DG/FS(BW)-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X16/DG/FS(BB)-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X10/DG-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X10/DG(BW)-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X10/DG(BB)-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X10/DG/FS-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X10/DG/FS(BW)-xxxW (xxx = 565 - 595, in increment of 5)

216 cells: DHN-U72X10/DG/FS(BB)-xxxW (xxx = 565 - 595, in increment of 5)

180 cells: DHN-U60X16/DG-xxxW (xxx = 470 - 495, in increment of 5)

180 cells: DHN-U60X16/DG(BW)-xxxW (xxx = 470 - 495, in increment of 5)

180 cells: DHN-U60X16/DG(BB)-xxxW (xxx = 470 - 495, in increment of 5)

180 cells: DHN-U60X16/DG/FS-xxxW (xxx = 470 - 495, in increment of 5)

180 cells: DHN-U60X16/DG/FS(BW)-xxxW (xxx = 470 - 495, in increment of 5)

180 cells: DHN-U60X16/DG/FS(BB)-xxxW (xxx = 470 - 495, in increment of 5)



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products

180 cells: DHN-U60X10/DG-xxxW (xxx = 470 - 495, in increment of 5)  
180 cells: DHN-U60X10/DG(BW)-xxxW (xxx = 470 - 495, in increment of 5)  
180 cells: DHN-U60X10/DG(BB)-xxxW (xxx = 470 - 495, in increment of 5)  
180 cells: DHN-U60X10/DG/FS-xxxW (xxx = 470 - 495, in increment of 5)  
180 cells: DHN-U60X10/DG/FS(BW)-xxxW (xxx = 470 - 495, in increment of 5)  
180 cells: DHN-U60X10/DG/FS(BB)-xxxW (xxx = 470 - 495, in increment of 5)  
168 cells: DHN-U56X16/DG-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X16/DG(BW)-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X16/DG(BB)-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X16/DG/FS-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X16/DG/FS(BW)-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X16/DG/FS(BB)-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X10/DG-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X10/DG(BW)-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X10/DG(BB)-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X10/DG/FS-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X10/DG/FS(BW)-xxxW (xxx = 440 - 460, in increment of 5)  
168 cells: DHN-U56X10/DG/FS(BB)-xxxW (xxx = 440 - 460, in increment of 5)  
xxx indicates rated output power generated from front side under STC



TÜV NORD CERT GmbH  
Certification Body  
Consumer Products